



- Drystack (tight-fit) Adhered thin stone Veneer (joints less than $\frac{1}{8}$ ")
- Min. $\frac{1}{4}$ " Thick Setting Bed mortar - Laticrete Hi-Bond Masonry Veneer mortar or Specmix XP 500 Thin Veneer Adhesion mortar
- Min $\frac{1}{2}$ " THK. scratch coat with Pre-blended Type S Mortar.
- 3.4lb/yd² Galvanized Diamond Wire Self-furring Lath c/w #8 woodscrews @ 6" o.c. vertically & 16" o.c. horizontally
Min Embe $\frac{3}{4}$ " into stud
- 10 mm ($\frac{3}{8}$ ") Drainage Mat (keane-driwall or equivalent)
- Weather Resistant Barrier (WRB)
- $\frac{3}{8}$ " OSB Or $\frac{1}{2}$ " Plywood Exterior Grade Sheathing
- 2x6 wood studs at 16" o.c.
- R20 BATT Insulation
- 6 mil Poly Vapour Barrier
- $\frac{1}{2}$ " Gypsum

L2" x 2" x 16ga. Hot dip Galv. Steel Angle bolted 16" o.c. with #12 Wood screws into ladder c/w Thru-Wall Flashing with weep holes @600 o.c.

TJI by Others

4"